



Maxxacryl SA-2092

Maxxacryl SA-2092 emulsion is a formaldehyde-free, carboxylated, styrene-acrylic copolymer emulsion. Films of **Maxxacryl SA-2092** emulsion are very soft and exhibit excellent resistance to discoloration. **Maxxacryl SA-2092** is an excellent polymer where, softness, water resistance, strength, superior aging and durability are needed.

Typical Properties	
Type	Styrene Acrylic Emulsion
Total Solids	50%
Viscosity	<800 cP (RV 2@60 rpm)
pH	2.5
Surfactant Charge	Anionic
Tg	-15
Weight/Gallon	8.80 lbs.
Specific Gravity: Latex	1.06
Specific Gravity: Solids	1.15

PERFORMANCE FEATURES

Water Resistance – Solvent Resistance – Soft, Strong, Film - Compatibility with large range of pigments and fillers
Easy to Compound

SUGGESTED USES

Awnings – Boat Covers – Gloss Overprints – Outdoor Casual Furniture Upholstery

Let MCTRON Technologies raise your expectations.

McTron Technologies, LLC Technical Support Team is available to provide assistance with the formulation of all our products to optimally suit your specific needs.

McTron Technologies LLC Guarantee

If any product is defective in workmanship or materials, McTron Technologies, LLC will replace the product, or refund the full purchase price. This warranty is in place of all other warrants, expressed or implied, and all implied warrants of a product for an intended use shall be solely up to the user. McTron Technologies, LLC assumes no liability for consequential damages. Its liability shall in no event exceed the purchase price of materials supplied by it.