



Maxxacryl VA-1252 Vinyl Acrylic Copolymer Emulsion

Maxxacryl VA-1252 is a vinyl acrylic co-polymer emulsion. It is an economical versatile binder that provides excellent binder properties for a broad range of coating formulations.

TYPICAL PROPERTIES

Type	Vinyl Acrylic Copolymer Emulsion
Total Solids	54-56%
Weight per Gallon	9.05
T _g	+7°C
MFFT	<0°C
Particle Size	0.47 microns
Specific Gravity (Latex)	1.06
Specific Gravity (Solids)	1.15
pH	4-5
Viscosity	200 – 1000 cps (#3 @ 100 rpm)
Surfactant Charge	Non Ionic/Anionic
Freeze-thaw Stability	Do Not Freeze
Bulking Value	0.1105 gal./lb.

PERFORMANCE FEATURES

Economical - Excellent Versatility – Low Residual Monomer – Very Good Consistency

SUGGESTED USES

Coatings

Let MCTRON Technologies raise your expectations.

McTron Technologies, LLC Technical Support Team is available to provide assistance with the formulation of all our products to optimally suit your specific needs.

McTron Technologies LLC Guarantee

If any product is defective in workmanship or materials, McTron Technologies, LLC will replace the product, or refund the full purchase price. This warranty is in place of all other warrants, expressed or implied, and all implied warrants of a product for an intended use shall be solely up to the user. McTron Technologies, LLC assumes no liability for consequential damages. Its liability shall in no event exceed the purchase price of materials supplied by it.