



MaxxBreak OB-123 NS

Organo-Silicone Emulsion Antifoam

MaxxBreak OB-123 NS is an all-organic silicone free defoamer. It is stable at high temperatures and is an effective defoamer under pressure dyeing conditions. **MaxxBreak OB-123 NS** has good salt tolerance and does not precipitate pre metallized dyes in the presence of electrolytes. Usage application levels for defoaming nonionic solutions are 0.1 to 0.25% owg. For more difficult to defoam anionic and mixed anionic or anionic/nonionic systems 0.25 to 1.0% owg may be required. It is strongly recommended to consider evaluation **MaxxBreak OB-123 NS** wherever difficult to defoam systems are encountered and a non-silicone defoamer is needed.

TYPICAL PROPERTIES

Appearance	Amber; Straw Colored; Opaque
Ionic Nature	Nonionic
Weight per Gallon, <i>lbs.</i>	7.26
Specific Gravity	0.89

PERFORMANCE FEATURES

Although **MaxxBreak OB-123 NS** has good shelf life, any separation can be easily re-dispersed by gentle stirring with no loss in performance. Exposure to freezing temperatures may cause some separation but rewarming the product and gentle stirring will bring the product back to its original form.

SUGGESTED USES

Textile Dyeing, Textile Printing, Textile Finishing

Let MCTRON Technologies raise your expectations.

McTron Technologies, LLC Technical Support Team is available to provide assistance with the formulation of all our products to optimally suit your specific needs.

McTron Technologies LLC Guarantee

If any product is defective in workmanship or materials, McTron Technologies, LLC will replace the product, or refund the full purchase price. This warranty is in place of all other warrants, expressed or implied, and all implied warrants of a product for an intended use shall be solely up to the user. McTron Technologies, LLC assumes no liability for consequential damages. Its liability shall in no event exceed the purchase price of materials supplied by it.