

Maxxacryl AC-3238 **Acrylic Emulsion Polymer**

Maxxacryl AC-3238 is an acrylic copolymer emulsion designed as a high solids generalpurpose pressure sensitive adhesive for tapes and labels. Maxxacryl AC-3238 provides an excellent balance of peel and tack properties with moderate shear resistance

TYPICAL PROPERTIES

Туре	Acrylic Emulsion Polymer
Appearance	White Aqueous Emulsion
Total Solids	63%
рН	6.5
Viscosity	250 cps
Tg	-38°C

Features

General-purpose pressure sensitive adhesive, Permanence, Balance of peel and sheer properties, High Solids, Low Viscosity, Non Yellowing, **Excellent Adhesion**

Applications

PSA Paper & Film Labels, PSA Tape, Paper Lamination, Food Packaging Applications, 21 CFR 174-107 compliant

Let MCTRON Technologies raise your expectations.

McTron Technologies, LLC Technical Support Team is available to provide assistance with the formulation of all our products to optimally suit your specific needs.

McTron Technologies LLC Guarantee

If any product is defective in workmanship or materials, McTron Technologies, LLC will replace the product, or refund the full purchase price. This warranty is in place of all other warrants, expressed or implied, and all implied warrants of a product for an intended use shall be solely up to the user. McTron Technologies, LLC assumes no liability for consequential damages. Its liability shall in no event exceed the purchase price of materials supplied by it.